



## Material Safety Data Sheet

Language: English

---

### 1. Identification of the material and supplier

Product Name: **LavaPurple Total Protein Kit 5mL**

Catalogue number: **LP-011005**

#### Company Details

##### **Manufacturer**

gelcompany GmbH  
Paul-Ehrlich-Straße 17  
D-72076 Tübingen

##### **Emergency telephone number :**

**+49 (0)7071 257030**

Area of Application: Industrial applications.

Product Use: Analytical chemistry. Research use only.

---

### 2. Hazard Identification

Hazard Symbol(s): C R-35  
F-Xn R11-20/21/22-36  
Xi: R37/38-41


Risk Phrases: R35 - Causes severe burns  
R11-20/21/22-36 – Highly flammable. Harmful by inhalation, in contact with skin and if swallowed.  
R37/38-41 - Irritating to respiratory system and skin. Risk of serious damage to eyes.

Safety Phrases: 16-37/39-45 - Keep away from sources of ignition – no smoking. Wear suitable protective clothing, gloves and eye/face protection. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Statement of hazardous/dangerous nature

HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.

---



### 3. Composition/information on ingredients

Mixture: Yes. Kit consists of four components. A solution of epicocconone in dimethyl sulfoxide/acetonitrile, solid sodium hydroxide, solid boric acid and solid citric acid.

Chemical name	CAS no.	% by Volume
Epicocconone	371163-96-1	NA
Dimethyl sulfoxide	67-68-5	67.5
Acetonitrile	75-05-08	32.2
Sodium hydroxide	1310-73-2	NA
Boric Acid	10043-35-3	NA
Citric Acid	5979-29-1	NA

Additional Information: Not applicable  
 Appearance: Purple Liquid. White solids/pellets.  
 Odor: Ethereal (slight)

### 4. First-aid measures

Inhalation : If inhaled, remove to fresh air. If not breathing, give artificial respiration.

If breathing is difficult, give oxygen. Obtain medical attention.

Ingestion : If swallowed wash out mouth with water, provided person is conscious. Obtain medical attention immediately. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and obtain medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact: In case of contact, immediately flush copiously with water for at least 15 minutes. Cold water may be used. Removing contaminated clothing and shoes. Wash clothes before reuse. Clean shoes thoroughly before reuse. Obtain medical attention immediately.

Eye contact: Check for and remove any contact lenses. In case of contact, immediately flush the eyes with a copious amount of water for at least 15 minutes. Cold water may be used. Assure adequate flushing by separating the eyelids with fingers. Obtain medical attention.

### 5. Fire-fighting measures

#### Explosion Data

Sensitivity to Mechanical Impact: Contact with aluminium, tin and zinc liberates hydrogen gas. Contact with nitromethane and other similar nitro compounds causes formation of shock-sensitive salts.

#### Extinguishing media

Suitable: Use an extinguishing agent suitable for the surrounding fire

Not suitable: Do not use water  
 No specific hazard

#### Special Risks

Specific Hazard(s): Combustible liquid. Emits toxic fumes under fire conditions



Special protective equipment for fire fighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

---

## 6. Accidental release measures

Personal precautions:

In case of leak or spill evacuate area. Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment.

Environmental precautions and cleanup methods:

Stop leak if without risk. Avoid dispersal of spilt material and runoff and contact with soil waterways drains and sewers.

Methods for cleaning up:

If emergency personnel are unavailable, contain spilt material. For small spills, add absorbent such as dry-lime, sand or soda ash. Place in covered container and using non-sparking tools transport outside. Finish cleaning by ventilating area and spreading water on the contaminated surface after material has been removed.

---

## 7. Handling and storage

Handling: Do not ingest. Avoid contact with eyes skin and clothing. Keep container closed. Use only with adequate ventilation. Avoid breathing dust, mist, vapor. Wash thoroughly after handling.

Storage: Keep stain at -15 to -30°C in original container. Keep container tightly closed and sealed until ready for use. Avoid all possible sources of ignition (spark or flame).

Special Requirements:

Avoid exposure to light. Do not allow moisture inside container. Handle and store under inert gas. Hygroscopic.

Combustible Liquid:

Combustible liquid Class C1 (AS 1940).

Packaging materials recommended use:

Use original container.

---

## 8. Exposure controls/personal protection

### Occupational Exposure Limits

**Ingredient name**

Dimethyl sulfoxide:

Acetonitrile

**Occupational Exposure limit**

**TRGS900 (Germany 8/2004). Skin**

TWA: 160 mg/m<sup>3</sup> 8 hour/hours. Form: All forms

NOHSC (Australia, 8/2005) Skin Notes: ACGIH is the documentation source.

STEL: 101 mg/m<sup>3</sup> 15 minute/minutes. Form: All forms

STEL: 60 ppm 15 minute /minutes. Form: All forms

TWA 67mg/m<sup>3</sup> 8 hour/ hours. Form: All forms

TWA 40ppm 8 hour/hours. Form: All forms



Sodium hydroxide TRGS900 (Germany 8/2004). 2 mg/m<sup>3</sup>.

Recommended monitoring procedures:

If this product contains ingredients with exposure limits, personal workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

Engineering measures:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective occupational exposure limits. Ensure that eyewash stations and safety showers are close to the workstation location.

Hygiene measures:

Wash hands, forearms, and face thoroughly after handling compounds and before eating, smoking, using lavatory, and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Ensure that eyewash stations and safety showers are close to the workstation locations.

Personal protection

**Eyes:** Safety eyewear complying with approved standards should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

**Hands:** Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.


**Respiratory:** Use a properly fitted, air purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirators must be based on known or anticipated exposure levels, the hazard of the product and safe working limits of the selected respirator.

**Skin:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

---

## 9. Physical and chemical properties

Physical state:	Clear Liquid
Colour:	Purple
Odour:	Ethereal (slight)
Odour threshold	the lowest known value is 40ppm (acetonitrile)
Boiling point:	The lowest known value is 82°C (179.6°F) (acetonitrile)
Melting point:	May start to solidify at approx. 18.4°C based on dimethyl sulfoxide
Vapour pressure:	The highest known value is 9.7kPa (72.8mm Hg) at 20°C based on acetonitrile. Weighted average: 3.16kPa (23.7 mm Hg) at 20°C
Relative Density:	Weighted average approximately 0.98 (Water = 1.0)



Density:	Weighted average approximately 0.98 g/cm <sup>3</sup>
Flash point:	Between 61°C (142°F) and 93.3°C (200°F).
Explosive properties:	Not considered as a product presenting risks of explosion.
Flammable Limits:	The greatest known range is LOWER: 1.8% UPPER: 63%
Vapour density:	The highest known value is 2.7 (Air = 1). Weighted average 2.29
Viscosity:	Dynamic: the highest known value is 1.1 cP (dimethyl sulfoxide) Weighted average 0.86 cP. Kinematic: the highest known value is 0.316 cSt (acetonitrile)
Autoignition temperature:	The lowest known value is 215°C (419°F) (dimethyl sulfoxide).
Evaporation rate :	The highest known value is 2.33 (acetonitrile) weighted average: 0.77 compared with butyl acetate (1).
Solubility:	Easily soluble in water, acetone, methanol, dimethyl sulfoxide.

---

## 10. Stability and reactivity

Stability :	The product is stable
Conditions of instability:	For sodium hydroxide heat of solution is very high, and with limited amounts of water, violent boiling may occur. Absorbs carbon dioxide from air. Never add water to this material, Always add this material to water.
Materials to avoid:	Reactive with oxidizing agents, reducing agents, strong acids, acid anhydrides, strong alkali. Reactive to moisture.
Hazardous decomposition products:	These products are carbon oxides (CO, CO <sub>2</sub> ), nitrogen oxides (NO, NO <sub>2</sub> , etc), sulfur oxides (SO <sub>2</sub> , SO <sub>3</sub> , etc.), boron oxides, sodium/sodium oxides.

### Hazardous Exothermic Reactions:

Dimethyl sulfoxide (DMSO) undergoes a violent exothermic reaction on mixing with copper wool and trichloroacetic acid. On mixing with potassium permanganate it will flash instantaneously. It reacts violently with: acid halides, cyanuric chloride, silicon tetrachloride, phosphorous trichloride and trioxide, thionyl chloride, magnesium perchlorate, silver fluoride, methyl bromide, iodine pentafluoride, nitrogen periodate, diborane, sodium hydride and perchloric and periodic acids. When heated above its boiling point dimethyl sulfoxide degrades giving off formaldehyde, methyl mercaptan and sulfur dioxide.

Remarks:	Incompatibilities: Strong ox, acyl halides, boron compounds, non-metal halides, metal halides. Acetyl chloride, Acyl halides, Benzenesulfonylchloride, Benzoyl chloride, <i>p</i> -Bromobenzoyl acetanilide, Cyanuric chloride, Iodine pentafluoride, Magnesium perchlorate, Methyl bromide, Perchloric acid, Periodic acid, Phenyl chloride, Phosphorus oxychloride, Phosphorus trichloride, Phosphorus trioxide, Potassium permanganate, Silver fluoride, Sodium hydride, Thionyl chloride, Tolly chloride--NFPA 491M.
----------	--



## Reactions with other materials:

Reactions with common materials: forms stable coordination complexes with metals.

**11. Toxicological information**Local effects

Skin irritation: Hazardous in case of skin contact (irritant)  
 Skin absorption: May be harmful if absorbed through the skin.  
 Readily absorbed through the skin  
 Eye irritation: Hazardous in case of eye contact (irritant)  
 Inhalation: Hazardous in case of inhalation (irritant)  
 May be harmful if inhaled.  
 Ingestion: May be harmful if swallowed.

Toxicity data

Ingredient	Test	Result	Route	Species
Dimethy sulfoxide	LD50	14500 mg/kg	Oral	Rat
	LD50	100 mg/kg	Oral	Wild bird species
	LD50	7920 mg/kg	Oral	Mouse
	LD50	50000 mg/kg	Dermal	Mouse
	LD50	40000 mg/kg	Dermal	Rat
Acetonitrile	LD50	2460 mg/kg	Oral	Rat
	LD50	50mg/kg	Oral	Rabbit
	LD50	177 mg/kg	Oral	Guinea Pig
	LD50	99 mg/kg	Dermal	Rat
	LC50	27.3 mg/l (4hour/hours)	Inhalation	Rat
Boric Acid	LDLO	429 mg/kg	Oral	Man
	LDLO	200 mg/kg	Oral	Woman
	LDLO	934 mg/kg	Oral	Infant
	LDLO	2430 mg/kg	Dermal	Man
	LDLO	1500 mg/kg	Dermal	Child
	LDLO	1200 mg/kg	Dermal	Infant
	LD50	2660 mg/kg	Oral	Rat
LD50	3450 mg/kg	Oral	Mouse	

Potential chronic health effects

Carcinogenic effects: No known significant effects or critical hazards.  
 Teratogenic effects: Known teratogen (acetonitrile, boric acid)  
 Mutagenic effects: Known mutagen (acetonitrile, boric acid, sodium hydroxide)  
 Reproductive toxicity: May cause reproductive disorders (acetonitrile, boric acid)

Over exposure signs/symptomsInhalation

May be harmful if inhaled. Material may be irritating to mucous membranes and upper respiratory tract. Acetonitrile on conversion to cyanide can produce



Ingestion	adverse effects including nausea, vomiting, diarrhea, headache, dizziness, rashes.
Skin	May be harmful if swallowed. Sodium hydroxide causes severe burns. May cause skin irritation and be harmful if adsorbed through skin.
Target organs	Contains material which causes damage to the following organs: blood, kidneys, liver, cardiovascular system, upper respiratory tract, skin, Central Nervous System (CNS), eyes, testes.

## 12. Ecological information

### Ecotoxicity Data

Ingredient	Species	Period	Result
Dimethyl sulfoxide	Pimephales promelas (LC50)	96 hour/hours	34000 mg/l
	Oncorhynchus mykiss (LC50)	96 hour/hours	35000 mg/l
	Lepomis macrochirus (LC50)	96 hour/hours	400000 mg /l
Acetonitrile	Daphnia magna (LC50)	96 hour/hours	>100 mg/l
	Sc quadricauda (IC 50)	192 hour/hours	7300 mg/l
Boric acid	Daphnia magna (LC50)	48 hour/hours	133 mg/l
	Lepomis macrochirus (LC50)	96 hour/hours	>1021 mg/l

Ingredient	Aquatic half-life	Photolysis	Biodegradability
Dimethyl sulfoxide	-	3.1%; 14 day/days	Not readily
Acetonitrile		98%; 28 day/days	Readily

### Bioaccumulative potential

Ingredient	LogPow	BCF	Potential
Dimethyl sulfoxide	-2.03	<4	Low
Acetonitrile	-0.34	0.3 to 0.4	Low

No ecological data available for citric acid and sodium hydroxide.

### Other adverse effects

No known significant effects or hazards.

## 13. Disposal considerations

Methods of disposal:

The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilt material and runoff and contact with soil, water, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional authority requirements.



## 14. Transport information

### International transport regulations

Not classified

---

## 15. Regulatory information

Hazard Symbol(s): C, F-Xn, Xi. Corrosive. Highly Flammable. Harmful. Irritant.  
R-Phrases: 11-20/21/22-36; 37/38-41 - Causes severe burns. Highly flammable. Harmful by inhalation, in contact with skin and if swallowed. Irritating to respiratory system and skin. Risk of serious damage to eyes.  
S – Phrases: 16-37/39-45 - Keep away from sources of ignition – no smoking. Wear suitable protective clothing, gloves and eye/face protection. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

---

## 16. Other information

Date of previous issue: No previous validation

*To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Enquiries regarding MSDS Content should be directed to: Gelcompany office.*

### Disclaimer

For research use only. Not for drug, household or any other use.

